


LCT bio.x A100

Thanks to its compact design, the LCT bio.x A100 brush washbasin is also suitable for smaller workshops and tight spaces without sacrificing functionality.



- compact design
- Ergonomic, user-friendly product design
- low power consumption thanks to energy-efficient heating
- maximum utilization of the work surface
- Optimal depth of the basin for good splash protection
- simple and user-friendly operation via push button
- the hinged top section ensures easy servicing, maintenance and repairs

With its easy-to-use concept and a large work surface, LCT A 100 provides a simple and comfortable cleaning system with a robust design. The space-saving device is made of reliable plastic components (PE) to ensure a long service life with consistently high quality. The system is portable and can be easily transported with a pallet truck. LCT A 100 uses a built-in filter system (coarse filter, fine filter, bag filter, and magnet) to absorb metals, dirt and other particles to avoid contamination of the circulating cleaning fluids.



LCT A 100 is operated with Bio Liquid environmentally friendly cleaners, whose long service life ensures long-lasting, consistent cleaning performance. Compared to traditional industrial cleaning solutions, LCT systems offer equivalent and in many cases increased cleaning performance - designed for sustainability, employee protection and environmental compatibility. It is the ideal alternative for environmentally conscious users and combines user friendliness and perfect cleaning results at attractive prices - without polluting the environment.



Technical data LCT bio.x A100

| | |
|------------------------------------|------------------|
| External dimensions W x D x H [mm] | 1060 x 830 x 600 |
| Usable surface W x D [mm] | 700 x 480 |
| Working height [mm] | 800 |
| Load capacity [kg] | 100 |
| Empty weight [kg] | 45 |
| Optimal fill level [l] | 100 |
| Minimum fill level [l] | 60 |
| Power consumption [W] | 700 |
| Heating [W] | 650 |
| Operating temperature [°C] | 41 |

Our LCT bio.x A100 can be used with the following non-labelled cleaners:

LCT Bio Liquid

LCT Bio Liquid Spezial

LCT Bio Liquid Power

LCT Kokoscleaner

LCT Kokoscleaner Alu

LCT Kokoscleaner low-foam

- Ready-to-use solution for removing oils, grease, cutting coolants, etc. from metal parts
 - Natural water-based cleaning process with natural microorganisms for biological oil breakdown
 - Not subject to the Solvent Directive
 - Non-hazardous substance, no labelling requirement
 - No solvents, VOC-free, therefore protecting the user and the environment from harmful vapours
 - Cleaner is non-flammable and absolutely harmless
 - Very long product life
 - Consistently high cleaning performance
 - No special protective measures necessary
- Label-free in accordance with EU guidelines
 - VOC free
 - Pleasant aroma
 - Ready for use
 - Based on renewable raw materials from recycled products
 - Little effect on the user and the environment
 - Does not corrode the surface
 - Suitable for solvent washstands
 - Suitable for any material
 - Dissolves stubborn and heavy soiling

